

### AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

#### Listing of Claims:

1. (Currently amended) In a reperfusion therapy method for treating acute myocardial infarction (AMI) in a mammal to reduce heart damage, the improvement comprising administering an effective amount of a composition comprising Granulocyte Colony Stimulating Factor (G-CSF) polypeptide after AMI, but before, concurrently with, and/or after reperfusion therapy.
2. (Original) The method of claim 1 wherein the reduction in damage is characterized by reduction in wall thickness losses.
3. (Original) The method of claim 1 wherein said reperfusion therapy consists of primary angioplasty and/or administration of a thrombolytic agent.
4. (Original) The method of claim 3 wherein said thrombolytic agent is selected from the group consisting of: streptokinase, urokinase, prourokinase, and tissue-type plasminogen activator.
5. (Currently amended) The method of claim 1 wherein said composition ~~includes the use of~~ comprises at least one additional factor selected from the group consisting of: EPO, SCF, M-GDF, GM-CSF, M-CSF, CSF-1, IL-1, IL-2, IL-3, IL-4, IL-5, IL-6, IL-7, IL-8, IL-9, IL-10, IL-11, IL-12, interleukins, IGF-1, LIF, interferon, a neurotrophic factor, a fibroblast growth factor, and human growth hormone.
6. (Original) The method of claim 1 wherein the amount of the G-CSF polypeptide administered is 300 µg per day.
7. (Original) The method of claim 1 wherein said mammal is a human.
8. (Withdrawn) A kit containing components for treating myocardial infarction comprised of:
  - a) a composition comprising G-CSF polypeptide; and
  - b) optionally, at least one additional factor selected from the group consisting of: EPO, SCF, M-GDF, GM-CSF, M-CSF, CSF-1, IL-1, IL-2, IL-3, IL-4, IL-5, IL-6, IL-7, IL-8, IL-9, IL-10, IL-11, IL-12, interleukins, IGF-1, LIF, interferon, a neurotrophic factor, a fibroblast growth factor, and human growth hormone.

9. (Original) In a reperfusion therapy method for treating total or near total occlusion in an artery in a mammal to reduce tissue damage, the improvement comprising administering an effective amount of a composition comprising Granulocyte Colony Stimulating Factor (G-CSF) polypeptide before, concurrently with, and/or after reperfusion therapy.

10. (Original) In a bypass surgery method for treating total or near total occlusion in an artery in a mammal to reduce tissue damage, the improvement comprising administering an effective amount of a composition comprising Granulocyte Colony Stimulating Factor (G-CSF) polypeptide before, concurrently with, and/or after bypass surgery.